

Supreme Tested Assemblies

RiverbankAcoustical

L A B O R A T O R I E S

All acoustical data was independently tested by Riverbank Acoustical Laboratories. Riverbank Acoustical is a nationally recognized company accredited by the National Institute of Standards and Technology (NIST) through the National Voluntary Laboratory Accreditation Program (NVLAP).

Partition Specifications

Partition Type	Side A	Side B	Gypsum Type	Insulation Type	Stud Spacing	STC Rating
1	1 layer	1 layer	5/8" Type X	-	24" oc	38
2	1 layer	1 layer	5/8" Type X	R-11 insulated	24" oc	47
3	1 layer	1 layer on RC-1	5/8" Type X	R-11 insulated	24" oc	52
4	2 layers	2 layers on RC-1	5/8" Type X	R-11 insulated	24" oc	61




Partition Type 2

47 STC
3 5/8" Stud



Partition Type 4

61 STC
3 5/8" Stud



Partition Type 1

38 STC
3 5/8" Stud



Partition Type 3

52 STC
3 5/8" Stud