

ALTERNATE
WELDED ATTACHMENT

(1) 0.145" ϕ P.D.F.
 @ EACH SIDE
 @ STRUC. STEEL COLUMN

\angle 1 1/4" x 1 1/4" x 16 GA
 x 1/2" SHORTER THAN
 STUD WIDTH @ EACH STUD

(1) #10-16 SCREW
 @ EACH SIDE
 @ EACH CLIP \angle

1 1/2" X 16 GA.
 x 1'-0" LONG
 @ SPLICE LOCATIONS
 W/ (6) #10-16 SCREWS
 (3) EACH END


(2) #10-16 SCREWS
 @ EACH CLIP \angle

1 1/2" X 16 GA.
 COLD ROLLED CHANNEL

STEEL STUDS

6" MAX. STUD DEPTH

TELLING™



BUILDSTRONG

6272 CENTER STREET
 MENTOR, OHIO 44060
 PHONE: 440-974-3370

DETAIL IS FOR
 REFERENCE ONLY.
 NOT FOR CONSTRUCTION.

DETAIL PROVIDED BY:



100 CAMELOT DRIVE
 FOND DU LAC, WI 54935
 PHONE: (920) 926-9800

COLD ROLLED CHANNEL LOAD BEARING WALL BRIDGING